

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Original) A multi-component detection system comprising:
 - i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source, which produces a first activated tag;
 - ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag can accept the energy from the first tag when the first and second interacting groups are associated and an appropriate substrate or energy source for the first tag is present thereby producing a second activated tag that emits light of a second wavelength;
 - iii). a third agent comprising a third interacting group coupled directly or indirectly to a third tag that can accept the energy from the first activated tag when the first and third interacting groups are associated and an appropriate substrate or energy source for the first tag is present to produce a third activated tag that emits light of a third wavelength;
 - iv). an appropriate substrate or energy source to activate the first tag, and
 - v). a means of detecting said emitted light.
2. (Original) A multi-component detection system comprising:
 - i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source which produces a first activated tag;
 - ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag can accept the energy from the first tag in i) when the first and second interacting groups are associated and an appropriate substrate or

energy source for the first tag in i) is present thereby producing a second activated tag that emits light of a second wavelength;

iii). a third agent comprising a third interacting group coupled directly or indirectly to a third tag that can accept the energy from the second activated tag in ii) when the first, second and third interacting groups are associated and an appropriate substrate or energy source for the first tag in i) is present to produce a third activated tag that emits light of a third wavelength, but said third tag is not substantially activated by the first activated tag in i) when only the first and third interacting groups are associated;

iv). an appropriate substrate or energy source to activate the tag in i); and

v). a means of detecting said emitted light.

3. (Original) A multi-component detection system comprising:

i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source which produces a first activated tag;

ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag can accept the energy from the first tag in i) when the first and second interacting groups are associated and an appropriate substrate or energy source for the first tag in i) is present thereby producing a second activated tag that emits light of a second wavelength;

iii). a third agent comprising a third interacting group coupled directly or indirectly to a third tag that can accept the energy from the first activated tag in i) when the first and third interacting groups are associated and an appropriate substrate or energy source for the first tag in i) is present and that can accept the energy from the second activated tag in ii) when the second and third interacting groups are associated and an appropriate substrate or energy source for the second tag in ii) is present to produce a third activated tag that emits light of a third wavelength;

iv). an appropriate substrate or energy source to activate the tags in i) and ii); and

v). a means of detecting said emitted light.

4. (Original) A multi-component detection system comprising:
- i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source which produces a first activated tag;
 - ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag can accept the energy from the first tag in i) when the first and second interacting groups are associated and an appropriate substrate or energy source for the first tag in i) is present thereby producing a second activated tag that emits light of a second wavelength;
 - iii). a third agent comprising a third interacting group coupled directly or indirectly to a third tag consisting of a non-fluorescent quencher molecule that can accept the energy from:
 - a). the first activated tag when the first and third interacting groups are associated; and/or
 - b). the second activated tag when the second and third interacting groups are associated;
- and an appropriate substrate or energy source for the first and/or second tag is present, whereby the light emission from the first and/or second activated tag is decreased;
- iv). an appropriate substrate or energy source to activate the tags in i) and ii); and
 - v). a means of detecting said emitted light.

5. (Original) A multi-component detection system comprising:
- i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source which produces a first activated tag;
 - ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag emits light of a second wavelength upon activation by a substrate or energy source, which produces a second activated tag;
 - iii). a third agent comprising a third interacting group coupled directly or indirectly to a third tag, which third tag can accept the energy from the first activated tag

when the first and third interacting groups are associated and an appropriate substrate or energy source for the first tag is present to produce a third activated tag that emits light of a third wavelength;

iv). a fourth agent comprising a fourth interacting group coupled directly or indirectly to a fourth tag, which fourth tag can accept the energy from the second activated tag when the second and fourth interacting groups are associated and an appropriate substrate or energy source for the second tag is present to produce a fourth activated tag that emits light of a fourth wavelength;

v). an appropriate substrate or energy source to activate the first and second tags, and

vi). a means of detecting said emitted light.

6. (Original) A multi-component detection system comprising:

i). a first agent comprising a first interacting group coupled directly or indirectly to a first tag, which first tag emits light of a first wavelength upon activation by a substrate or energy source, which produces a first activated tag;

ii). a second agent comprising a second interacting group coupled directly or indirectly to a second tag, which second tag can accept the energy from the first tag when the first and second interacting groups are associated and an appropriate substrate or energy source for the first tag is present thereby producing a second activated tag that emits light of a second wavelength;

iii). one or more further agents comprising one or more further interacting groups coupled directly or indirectly to one or more further tags that can accept the energy from the first activated tag when the first and one or more further interacting groups are associated and an appropriate substrate or energy source for the first tag is present to produce one or more further activated tags that emit light of one or more further wavelengths, wherein said further wavelengths are different to the first or second wavelengths;

iv). an appropriate substrate or energy source to activate the first tag, and

v). a means of detecting said emitted light.

7. (Currently amended) A The system of ~~according to any one~~ claims 1 to 6, wherein the interacting group is selected from the group consisting a compounds, proteins, protein domains, protein loops, protein termini, peptides, hormones, protein-lipid complexes, lipids, carbohydrates, carbohydrate-containing compounds, nucleic acids, oligonucleotides, pharmaceutical agents, pharmaceutical drug targets, antibodies, antigenic substances, viruses, bacteria, and cells.

8. (Currently amended) A The system of ~~according to any one~~ claims 1 to 6, wherein the interacting group is selected from the group consisting of carbohydrates, proteins, drugs, chromophores, antigens, chelating compounds, molecular recognition complexes and combinations thereof.

9. (Currently amended) A The system of ~~according to~~ claim 7, wherein the nucleic acid molecule comprises DNA including single-stranded and double-stranded DNA, RNA including heterogeneous ribonucleic acid (hnRNA), transfer ribonucleic acid (tRNA), messenger ribonucleic acid (mRNA), or ribosomal ribonucleic acid (rRNA).

10. (Currently amended) A The system ~~according to any one~~ of claims 1 to 9, wherein external stimuli are applied to directly or indirectly modulate the association of interacting groups.

11. (Currently amended) A The system of ~~according to~~ claim 10, wherein the external stimuli are reagents comprising organic and inorganic molecules, proteins, nucleic acids, carbohydrates, lipids, ligands, drug compounds, agonists, antagonists, inverse agonists or compounds.

12. (Currently amended) A The system of ~~according to~~ claim 10, wherein the external stimuli are changes of conditions including temperature, ionic strength or pH.

13. (Currently amended) A The system ~~according to any one of claims 1 to 12~~, wherein the detection tag is selected from the group consisting of a bioluminescent protein, a fluorescent protein, a fluorescent moiety or a non-fluorescent quencher.

14. (Currently amended) A The system ~~of according to~~ claim 13, wherein the bioluminescent protein is selected from the group consisting of luciferase, galactosidase, lactamase, peroxidase or any protein capable of luminescence in the presence of a suitable substrate.

15. (Currently amended) A The system ~~of according to~~ claim 13, wherein the fluorescent protein selected from the group consisting of green fluorescent protein (GFP) or variants thereof, blue fluorescent variant of GFP (BFP), cyan fluorescent variant of GFP (CFP), yellow fluorescent variant of GFP (YFP), enhanced GFP (EGFP), enhanced CFP (ECFP), enhanced YFP (EYFP), GFPS65T, Emerald, Topaz, GFPuv, destabilised EGFP (dEGFP), destabilised ECFP (dECFP), destabilised EYFP (dEYFP), HcRed, t-HcRed, DsRed, DsRed2, t-dimer2, t-dimer2(12), mRFP1, pocilloporin, Renilla GFP, Monster GFP, paGFP, Kaede protein and kindling protein, Phycobiliproteins and Phycobiliprotein conjugates including B-Phycoerythrin, R-Phycoerythrin and Allophycocyanin or any other protein capable of fluorescence.

16. (Currently amended) A The system ~~of according to~~ claim 13, wherein the fluorescent moiety is selected from the group consisting of Alexa Fluor dyes and derivatives, Bodipy dyes and derivatives, Cy dyes and derivatives, fluorescein and derivatives, dansyl, umbelliferone, fluorescent and luminescent microsheres, fluorescent nanocrystals, Marina Blue, Cascade Blue, Cascade Yellow, Pacific Blue, Oregon Green and derivatives, Tetramethylrhodamine and derivatives, Rhodamine and derivatives, Texas Red and derivatives, rare earth element chelates or any combination or derivative thereof or any other molecule with fluorescent properties.

17. (Currently amended) A The system ~~of according to~~ claim 13, wherein the non-fluorescent quencher is selected from the group consisting of dabcyI, non-fluorescent

pocilloporins, QSY-7, QSY-9, QSY-21, QSY-35, BHQ-1, BHQ-2, BHQ-3 or any known non-fluorescent chromophore with the ability to absorb light and to quench fluorescence and/or luminescence.

18. (Currently amended) A The system ~~according to any one~~ of claims 1 to 6, wherein the activation energy is generated by a light source including lasers, Hg-lamps, Xe-lamps and halogen lamps or any light emitting device, and the generated light is restricted to a specific wavelength or wavelength range by appropriate means including laser lines, bandpass filters, shortpass filters, monochromators or any device to spectrally restrict the emitted light.

19. (Currently amended) A The system ~~according to any one~~ of claims 1 to 6, wherein the first activation energy is generated from a suitable enzyme substrate selected from the group consisting of coelenterazine and luciferin or a derivative derived therefrom.

20. (Currently amended) A The system of ~~according to~~ claim 3, wherein sequentially the first detection tag is activated and the light emitted from the first, second and third detection tag is detected and then the second detection tag is activated and the light emitted from the second and third detection tag is detected.

21. (Currently amended) A The system of ~~according to~~ claim 4, wherein sequentially the first detection tag is activated and the light emitted from the first, second detection tag is detected and then the second detection tag is activated and the light emitted from the second detection tag is detected.

22. (Currently amended) A The system of ~~according to~~ claim 19 and 20, wherein the sequence of activation and detection is repeated over time to yield temporal information.

23. (Currently amended) A The system ~~according to any one~~ of claims 1 to 21, wherein the interacting group and tag are coded for in a fusion protein construct.

24. (Currently amended) A recombinant DNA encoding a the fusion protein construct of ~~according to~~ claim ~~22~~ 23.

25. (Currently amended) A fusion gene that comprises a the recombinant DNA of ~~according to~~ claim ~~23~~ 24.

26. (Currently amended) A DNA cassette comprising a promoter operably linked to one or more fusion protein genes of ~~according to any one of claims 22 to 24~~ 23.

27. (Currently amended) A vector comprising a the fusion gene of ~~according to~~ claim 25.

28. (Currently amended) A host cell transiently or stably transformed or transfected by a vector of ~~according to~~ claim ~~26~~ 27.

29. (Currently amended) A The host cell of ~~according to~~ claim ~~27~~ 28, wherein the cell is human, mammalian, insect, plant, bacterial, or yeast.

30. (Currently amended) A The vector of ~~according to~~ claim ~~26~~ 27, wherein the gene construct is under the control of a constitutive promoter.

31. (Currently amended) A The vector of ~~according to~~ claim ~~26~~ 27, wherein the gene construct is under the control of an inducible promoter.

32. (Currently amended) A The vector of ~~according to~~ claim ~~29~~ 30, wherein the constitutive promoter is selected from the group consisting of CMV, SV40, RSV, EF-1 a, Tk, and AdML, when the cell to be transformed or transfected is mammalian.

33. (Currently amended) A The vector of ~~according to~~ claim ~~29~~ 30, wherein the constitutive promoter is selected from the group consisting of T7, AraBAD, trc, pL, tac, and lac, when the cell to be transformed or transfected is a bacterial cell.

34. (Currently amended) A ~~The~~ vector of ~~according to~~ claim ~~29~~ 30, wherein the constitutive promoter is selected from the group consisting of nmtl, gall, gallo, TEF1, AOX1, GAP, and ADH1, when the cell to be transformed or transfected is a yeast cell.

35. (Currently amended) A virus comprising a the fusion gene of ~~according to~~ claim 25.

36. (Currently amended) A host cell infected by a the virus of ~~according to~~ claim 35.

37. - 45. (Cancelled.)